Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	"330"/$.ccls. and ((operation near2 amplifier) with current mirror) and (voltage near2 temprature) and (reference near2 voltage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 16:37
L2	309	"330"/$.ccls. and ((operation near2 amplifier) with current mirror) and (voltage near2 temperature$1) and (reference near2 voltage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 16:37
L3	5	"330"/$.ccls. and ((operation near2 amplifier) with feedback with resist$6) and (voltage near2 temperature$1) and (reference near2 voltage) and (current near mirror)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 16:38
L4	111	(proportion with voltage with amplifier) and (current near mirror) and (voltage near reference$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 16:49
L5	11	(proportion with voltage with amplifier) and (current near mirror) and (voltage near reference$1) and exponential	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 17:34
L6	62	(temperature with voltage with amplifier) and (current near mirror) and (voltage near reference$1) and exponential	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 17:34
L7	0	330/254,256,260.ccls and ((variable near3 gain) with exponent$5) and (control near voltage) and temperature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 18:09
L8	25	330/254,256,260.ccls. and ((variable near3 gain) with exponent$5) and (control near voltage) and temperature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 18:09
L9	25	330/250,254,256,260.ccls. and ((variable near3 gain) with exponent$5) and (control near voltage) and temperature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 18:09

L10	38	"330"/$.ccls. and ((variable near3 gain) with exponent$5) and (control near voltage) and temperature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 18:09
S2	100	((variable near3 gain) with exponent$5) and (control near voltage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 18:08
S3	206	((variable near3 gain) with exponent$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 12:22
S4	2	((variable near3 gain) with exponent$5) and (voltage near gain) and (independent with thermal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 09:58
S5	2	((variable near3 gain) same exponent$5) and (voltage near gain) and (independent with thermal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 09:58
S6	74	((variable near3 gain) with exponent$5) and (control near2 voltage$1) and (voltage near2 gain)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 10:44
S7	5	(variable near3 gain) and (control near2 voltage$1) and ((voltage near2 gain) with exponent$ with inver$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 10:49
S8	9	(variable near3 gain) and (control near2 voltage$1) and ((voltage near2 gain) same exponent$ same inver$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 10:54
S9	4	S8 not S7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 10:50
S10	18	(variable near3 gain) and (control near2 voltage$1) and ((voltage near2 gain) with exponent$) and (independent with temperature$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 10:55

| S11 | 2 | "20050073362".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/06/06 16:34 |